

Laserskrivare med scanner - färg A3


# Sharp BP-71C45



Sharp BP-71C45 är en smart multifunktionsskrivare för A3-färgutskrift med avancerade säkerhetsfunktioner och starka miljöegenskaper – perfekt för den digitala arbetsplatsen.

- A3 färg-multifunktionsskrivare med 45 sidor per minut och sömlös integration med molnbaserade affärsprocessapplikationer
- Flera lager av säkerhetsfunktioner med automatisk BIOS-återställning vid avvikelser under uppstart samt standard Trusted Platform Module för att skydda konfidentiell data
- Samarbeta enkelt med Microsoft® Teams-anslutningen – skriv ut från eller skanna till dina Teams-kanaler direkt från MFP:ns kontrollpanel
- Skydda din data, enhet och nätverk med valbart Bitdefender anti-malware-skydd\*1
- Få mer flexibilitet i utskriftsresultatet med ett brett utbud av efterbehandlingsalternativ, inklusive häftning, hålslagning och vikning
- En hållbar design med upp till 50 % återvunnen plast vid tillverkning av MFP-enhetens bas och kartongförpackning, vilket minskar mängden plastavfall
- Utför stora jobb snabbt och effektivt med skanningshastigheter upp till 300 bilder per minut och valbar dubbelmatningsdetektering\*2 som stoppar skanning när två eller fler ark matas samtidigt
- Avancerad miljöteknik med ett imponerande lågt TEC-värde och låg strömförbrukning i viloläge
- Med stöd för Microsoft Entra ID kan du hantera identiteter och kontrollera enhetsåtkomst via ett säkert molnbaserat verktyg
- Intuitiva ikoner och ett smartphone-liknande gränssnitt på den 10,1-tums färg-LCD-kontrollpanelen
- Single sign-on gör att du säkert kan skriva ut från eller skanna till offentliga molnlagringstjänster snabbt och enkelt
- Håll dig uppdaterad och kompatibel med automatiska onlineuppdateringar av firmware och applikationer via Sharp Application Portal

## Konfigurationer



## Mått



## Basenhett

### BP-LC10 Large Capacity Tray

3,000 sheets (based on 80 g/m2), A4-B5 (60-220 g/m2)

### BP-DE14 Stand with 3 x 550-sheet Paper Drawers

550 sheets each for lower and upper trays (based on 80 g/m2), SRA3-A5R (60-300 g/m2)

### BP-UT10 Utility Table

### BP-DE13 Stand with 2 x 550-sheet Paper Drawers

550 sheets each for lower and upper trays (based on 80 g/m2), SRA3-A5R (60-300 g/m2)

### BP-DD10 Double Feed Detection Unit

Eliminates double feeding of paper while scanning

### BP-DE15 Stand with 550 + 2100-sheet Paper Drawers

Upper tray: SRA3-A5R, 550 sheets\* (60-300 g/m2); Lower tray (Left): A4, 1,200 sheets\* (60-105 g/m2); Lower tray (Right): A4 - B5, 900 sheets\* (60-105 g/m2); \* Number of sheets based on 80 g/m2

### BP-DE12 Stand with 550-sheet Paper Drawer

550 sheets (based on 80 g/m2), SRA3-A5R (60-300 g/m2)

## Säkerhet

### BP-FR12U Data Security Kit

Commercial version

### BP-VD10 Virus Detection Kit

## Lagringsutrymme

### BP-SD10 High Capacity SSD

512GB SSD

## Utskrift

### MX-PF10 Barcode Font Kit

Enables barcode printing

## Sharp OSA

### MX-AMX1 Application Integration Module

## Fax

### MX-FWX1

## Efterbehandling

### MX-LT10 Long Paper Feeding Tray

Recommended for banner printing

### MX-PN15D Punch Module - 4 Hole Wide

Punch module for BP-FN13/BP-FN14/MX-FN28/MX-FN29

### MX-PN14D Punch Module - 4 Hole Wide

Punch module for BP-FN11/BP-FN12

### BP-FN14 1k Saddle Stitch Finisher

A3W-A5R (offset/staple), SRA3-A5R (non offset); Offset tray (upper): max. 1,000-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 50-sheet multi-position staple (based on 80 g/m2); Saddle stitch tray (lower): 7 sets (11-15 sheets), 10 sets (6-10 sheets), 20 sets (1-5 sheets). 15 sheets max per set; Requires BP-RB10 Paper Pass Unit

### MX-PN16D Punch Module - 4 Hole Wide

Punch module for BP-FN15/BP-FN16/MX-FN30/MX-FN31/MX-FN34/MX-FN35

### MX-PN15C Punch Module - 2/4 Hole

Punch module for BP-FN13/BP-FN14/MX-FN28/MX-FN29

### MX-PN14C Punch Module - 2/4 Hole

Punch module for BP-FN11/BP-FN12

### BP-FN13 1k Finisher

A3W-A5R (offset/staple), SRA3-A5R (non offset); Offset tray (upper): max. 1,000-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 50-sheet multi-position staple (based on 80 g/m2); Requires BP-RB10 Paper Pass Unit

### BP-FD10 Folding Unit

200 sheets (based on 80 g/m2), A3, B4, A4R (Z-fold, half fold), A3, A4R (C-Fold, Accordion fold), 60-256 g/m2

### MX-PN16C Punch Module - 2/4 Hole

Punch module for BP-FN15/BP-FN16/MX-FN30/MX-FN31/MX-FN34/MX-FN35

### BP-TR12 Exit Tray Unit

### BP-RB10 Paper Pass Unit

Required when using BP-FN13, BP-FN14, BP-FN15 or BP-FN16

### BP-FN16 3k Saddle Stitch Finisher

A3-B5 (offset/staple), SRA3-A5R (non offset); Offset tray (upper): max. 3,000-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 65-sheet multi-position staple (based on 80 g/m2); Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2); Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2); Saddle stitch tray (lower): 10 sets (11-20 sheets), 15 sets (6-10 sheets), 25 sets (1-5 sheets). 20 sheets max per set; Requires BP-RB10 Paper Pass Unit

### BP-FN15 3k Finisher

A3-B5 (offset/staple), SRA3-A5R (non offset); Offset tray (upper): max. 3,000-sheet paper capacity (based on 80 g/m2); Stapling capacity: max. 65-sheet multi-position staple (based on 80 g/m2); Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2); Stapleless capacity: max. 10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2); Requires BP-RB10 Paper Pass Unit

### BP-FN18 Inner Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset); Offset tray (upper): max. 500-sheet paper capacity\*; Stapling capacity: max. 50-sheet multi-position staple\*; Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m2), 40 sheets (80 g/m2); Stapleless capacity: max.10-sheet (64 g/m2), 8 sheet (65 - 81.4 g/m2), 6 sheet (81.5 - 105 g/m2)

# Specifikationer

## Allmänt

|                                                        |      |
|--------------------------------------------------------|------|
| Hastighet färg kopior/utskrifter per minut (A4)        | 45   |
| Hastighet svartvitt kopior/utskrifter per minut (A4)   | 45   |
| Hastighet svartvitt kopior/utskrifter per minut (SRA3) | 23   |
| Teknologi                                              | 23   |
| Pappersstorlek min                                     | A6R  |
| Pappersstorlek max                                     | SRA3 |
| Pappersvikt min (g/m <sup>2</sup> )                    | 52   |
| Pappersvikt max (g/m <sup>2</sup> )                    | 300  |
| Papperskapacitet: Standard (ark)                       | 650  |
| Papperskapacitet: Max (ark)                            | 6300 |
| Uppvärmningstid (sek)                                  | 14   |
| Minne max (GB)                                         | 5    |
| Lagring: Std.                                          | SSD  |
| Lagring: Opt.                                          | SSD  |
| SSD-kapacitet: Std. (GB)                               | 256  |
| SSD-kapacitet: Opt. (GB)                               | 512  |
| Duplex                                                 | Std. |
| Elanslutning: frekvens min. (Hz)                       | 50   |
| Elanslutning: frekvens max. (Hz)                       | 60   |
| Energiförbrukning (kW)                                 | 1,84 |
| Bredd basenhet (mm)                                    | 609  |
| Djup basenhet (mm)                                     | 662  |
| Höjd basenhet (mm)                                     | 860  |
| Vikt (kg)                                              | 85   |
| Elanslutning: min. (V)                                 | 200  |
| Elanslutning: max. (V)                                 | 240  |

## Fax

|                                         |                   |
|-----------------------------------------|-------------------|
| Fax                                     | Opt.              |
| Komprimeringsmetod                      | MH, MR, MMR, JBIG |
| Kommunikationsprotokoll                 | Super G3, G3      |
| Överföringstid                          | 2                 |
| Modemhastighet min (bps)                | 2400              |
| Modemhastighet max (bps)                | 33600             |
| Överföringsupplösning std (dpi)         | 203.2 x 97.8 dpi  |
| Överföringsupplösning ultrafin (dpi)    | 406.4 x 391 dpi   |
| Arbetsbredd (min)                       | A5                |
| Arbetsbredd (max)                       | A3                |
| Minne max (GB)                          | 4                 |
| Gräskalenivåer                          | 256               |
| Registrering av inkommande/utgående fax | 2000              |
| Grupsändning                            | 500               |

## Trådlöst nätverk

|                        |                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Trådlöst nätverk       | Std.                                                                                                                               |
| Kommunikationsstandard | IEEE802.11a/ac/b/g/n                                                                                                               |
| Åtkomstnivå            | Infrastructure mode, Software AP mode                                                                                              |
| Säkerhet               | WEP, WPA/WPA2-mixed PSK, WPA/WPA2-mixed EAP, WPA2 PSK, WPA2 EAP, WPA2 EAP/WPA3-mixed, PSK/SAE, WPA3 SAE, WPA2/WPA3-mixed, WPA3 EAP |

## Arkivering

|                    |                                    |
|--------------------|------------------------------------|
| Dokumentarkivering | Std.                               |
| Lagrade jobb       | Kopiering, Utskrift, Scanning, Fax |
| Lagringssapp       | Snabb, Huvud, Anpassad (max. 1000) |

## Skrivare

|                                |                                                                                                                                                                                          |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Nätverksskrivare               | Std.                                                                                                                                                                                     |
| Upplösning (dpi)               | 1200 x 1200, 600 x 600, 9600 x 600                                                                                                                                                       |
| Gränssnitt std                 | USB 2.0, USB 3.0, 10Base-T, 100Base-TX, 1000Base-T                                                                                                                                       |
| Stöder operativsystem standard | Windows 10, Windows 11, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows Server 2025, Mac OS X 10.15, Mac OS X 11, Mac OS X 12, Mac OS X 13, Mac OS X 14, macOS 15 |
| Nätverksprotokoll              | TCP/IP (IPv4, IPv6)                                                                                                                                                                      |
| Utskriftsprotokoll             | LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, FPT for downloading print files, IPP, SMB, WSD                                                                                   |
| Typsnitt                       | 80 PCL, 139 PostScript 3                                                                                                                                                                 |

## Kopiator

|                                       |                                    |
|---------------------------------------|------------------------------------|
| Pappersstorlek max                    | A3                                 |
| Tid för förstakopia färg (sek)        | 6,5                                |
| Tid för förstakopia svartvitt (sek)   | 4,6                                |
| Elektronisk sortering                 | Opt.                               |
| Kontinuerlig kopiering (max kopior)   | 9999                               |
| Upplösning scanning svartvitt (dpi)   | 600 x 600, 600 x 400, 600 x 300    |
| Upplösning scanning färg (dpi)        | 600 x 600                          |
| Upplösning skrivare (dpi)             | 1200 x 1200, 600 x 600, 9600 x 600 |
| Gradering (motsvarande nivåer) - färg | 256                                |
| Zoom min (%)                          | 25                                 |
| Zoom max (%)                          | 400                                |
| Förinställda skalor                   | 10                                 |
| Nätverksscanner                       | Push scan, Pull scan               |

## Scanner


|                            |                                                                                                                                                        |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Scanningmetod              | Std.                                                                                                                                                   |
| Upplösning push scan (dpi) | 100, 150, 200, 300, 400, 600                                                                                                                           |
| Upplösning pull scan (dpi) | 75, 100, 150, 200, 300, 400, 600, 50-9600                                                                                                              |
| Filformat std              | TIFF, PDF, PDF/A-1a, PDF/A-1b, Encrypted PDF, Compact PDF, JPEG, XPS, Searchable PDF, Microsoft Office (pptx, xlsx, docx), Text (TXT), Rich Text (RFT) |
| Scannerdestination         | Desktop, FTP, E-post, Nätverksmapp, USB minne                                                                                                          |

## Efterbehandlare

|                      |      |
|----------------------|------|
| Kapacitet min (ark)  | 500  |
| Kapacitet max (ark)  | 3250 |
| Häftning max (ark)   | 65   |
| Sadelhäftning        | Opt. |
| Off-set förskjutning | Std. |
| Hålslag              | Opt. |

## Tonerkapacitet

|                                       |       |
|---------------------------------------|-------|
| Svart (sidor med 5 % täckningsgrad)   | 40000 |
| Cyan (sidor med 5 % täckningsgrad)    | 24000 |
| Magenta (sidor med 5 % täckningsgrad) | 24000 |
| Gul (sidor med 5 % täckningsgrad)     | 24000 |



Design and specifications are subject to change without prior notice. All information was correct at time of print. Microsoft, Excel, PowerPoint, OneDrive, SharePoint, Active Directory, Windows Server, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the US and/or other countries. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the US and/or other countries. Google Drive, Gmail, Android, and Google Cloud Print are trademarks of Google LLC. The Google Drive trademark is used with permission from Google LLC. Box is a trademark, service mark, or registered trademark of Box, Inc. QR Code is a registered trademark of DENSO WAVE INCORPORATED in Japan and other countries. AirPrint and Mac are trademarks of Apple Inc., registered in the US and other countries. PCL is a registered trademark of Hewlett-Packard Company. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the US and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the US and other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation All trademarks acknowledged. E&O. Ref: Sharp BP-71C45, 2/7/2026